

February 5, 2004

To: Commissioner for Patents

P.O.Box 1450

Alexandria, VA 22313-1450

Fr: George O. Saile, Reg. No. 19,572

28 Davis Avenue

Poughkeepsie, N.Y. 12603

Subject:

 $\overline{\text{Serial No.}}$ 10/615,123 07/08/03

Rainer Krenzke

SLEW RATE SENSING AND CONTROL OF A HIGH-VOLTAGE OUTPUT DRIVER FOR A VARIABLE VOLTAGE RANGE AND VARIABLE OUTPUT LOAD

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Enclosed is Form PTO-1449, Information Disclosure Citation In An Application.

The following Patents and/or Publications are submitted to comply with the duty of disclosure under CFR 1.97-1.99 and 37 CFR 1.56.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on February (7, 2004.

Stephen B. Ackerman, Reg.# 37761

Signature/Date

- U.S. Patent Application Publication US 2002/0063590 A1 to Nanba et al., "Low Power Circuit with Proper Slew Rate by Automatic Adjustment of Bias Current," discusses a semiconductor integrated circuit including an adjusted circuit a slew rate (an amount of change in output voltage per unit time for step input) of whose output is dependent on a bias current and a circuit automatically adjusting the value of the bias current to achieve low power with proper slew rate.
- U.S. Patent 6,288,563 to Muljono et al., "Slew Rate Control," discusses controlling the slew rate of a driver circuit.

International Patent Applicatiaon WO 99/10982 to Garrett et al., "Current Control Technique," discloses an output driver circuit and current control technique to facilitate high-speed buses with low noise used to interface with high-speed dynamic RAMs (DRAMs).

U.S. Patent 6,009,487 to Davis et al., "Method and Apparatus for Setting a Current of an Output Driver for the High Speed Bus," discloses a method for setting a current of a current source driver for a high speed bus system.

DS-02-021

U.S. Patent 5,254,883 to Horowitz et al., "Electrical Current Source Circuitry for a Bus," describes electrical current source circuitry for a bus.

Sincerely

Stephen B. Ackerman,

Reg. No. 37761

Form PTO-	1449					···	······································	Doctor(Humber (Cpecnar)	14	(Hesson Humess	-67	<u>t-</u>
E	מוח	, 1 TIC	SM r	חכי	Ω Ι /		ודאדוראו	DS-02-021 10/615,123				
SINFU	нмя	IN	א ע א	IAV ICIC		OSURE C	NONATION	Applicant Rainer		rke		
2004	IN AN APPLICATION (Usis several showts if nocessary)							Fling Date 07/08/03 Group AT UNI				
HAPPA SEE							U S' PAT	ENT DOCUMENTS			·	
EXAUINER MTIAL	DOCUMENT HUMBER DATE							KME	CLASS	CLUES SUSCILLES NUND D		
								Λ Λ			* APPROPIU	
	6	28	3 8	56	23	9/11/01	Mulja	no et al.	326	27	12/3	1/
	6	00	29	48	17	1228199	Davi-	et d.	710	105	5/3	1/4
	5	25	54	88	3	10/19/93	Horow	itz et al.	307	443	4/2	2
÷.												
						-						
	\dagger		\forall		+							
	-		+		+-							
	+	+			+							
	-	\vdash	+	-	+							
	_	-	+	-	-					-		
		<u> </u>										
	T					T		ATENT DOCUMEN	- 	·	Yeansh	ulca
	DOCUMENT HUMBER		-	OATE	COUNTRY		cuss	SUBCLASS	YES I			
W0 9	9	$\Delta \mu$	0	98	2	3/4/99	Int' F	stent App.	HOSK	19/0175		
					Ц							
			407									
,				20								
			1									Ť
	لــــا		لسل		11	<u></u>	OTHER DO	CUMENTS (Including)	Autor, Title, C	lale, Pertinent	Pagos, Eli	c.)
		ربر. ا	<u> </u>	2	 	+ Acc	Pub. 49	2002/nnl-25	90 A1	to at	lanb.	<u>a</u> .
		D.	1_	1	+	-12-	102 119	5.2002/00635 5.Class 32	7/170	Filad	8/6	10
		<u>`\</u>	<u> </u>	<u> </u>	عد	- 2/20	100-14	J. C(2)	. (10,	1100	01	
												•
	-	_				·						-
										•		
							-	DATE CONMOCRED				
EXAMPLES								1 DATE COTAL DELICE				

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.